

TEST PLAN WORKSHEET

PROGRAM DEPUTY APPROVA	AL COMPLETION INFORMATION
PD Signoff: Da	
Ops Reviewer Signoff: Da	· ·
Expiration Date (max. 90 days from approval): Presentation Required? yes no	Comments (partial completion, etc.):
· · · · · · · · · · · · · · · · · · ·	
Test Plan Title: RF Setup) for 4.4GeV
Author(s): Charles Reece	
Date Submitted: 11/03/97	
Revision Number: Rev. 1, ((111/03/97)
Brief Purpose of Test	
Define a procedure for setti beamloading.	ing up the RF for physics running at 4.42 GeV with significant
Anticipated Benefits	
Efficient use of time, and if procedure.	f the results are positive, progress toward a systematic setup
Beam Conditions Requ	uired
No beam in linacs	
Staff Required to Exec	cute the Test (including contact info)
operators, AESRF, and C. I	Reece X7645
Hardware and/or Softw	vare Changes Required
download file only: GSET.	DRVHs
Procedure	
1. Start with nominal 400	MV/linac setup with 4.0 GeV beam on BSY dump.
2. Secure beam.	
3. Execute "~brown/bin/	kaseeit KMASI" to view mod anode settings
a. Verify that all KMA	ASI < 0.6 kV.
b. else, run "~reece/n	mchnsetup/kmas/ma_un_economizer".
4. Download Special file '	"DRVHfor44GeV.snap"
NOTE:	
	support 900μA Itot with 440 MV+20%.

c. It restores DRVH values to cavities derated for control problems during the high

b. It is derived from the latest microphonic and arcing data.

Rev. 1, (111/03/97) RF Setup for 4.4GeV

power run. *** These will merit particular attention. *** See Steve Cooper's hit list.

5. LEM both North and South to 450 MV.

- a. run Ptune
- **b.** In this state, optimize all of the rf modules adjust RATN values in steps of 0.2 until all GASKLs are 1.8 < GASKL < 2.2.

[scripts available:~reece/mchnsetup/ratn/RATN_trimup and ~reece/mchnsetup/ratn/RATN_trimdown]

- c. run ~reece/logging/allcheck
- **d.** fix any problems
- **6.** Save present rf setup [GSET.DRVH, GSET, GASKL, RATNI, KMASI, TDOFF...]
 - a. execute "kcmore -c GSET.DRVH -c GSET -c GASKL -c RATNI -c KMASI -c TDOFF -c CRFP >! TrimmedAt450 ; lp -dmcc104b TrimmedAt450; cp TrimmedAt450 ~reece/mchnsetup/TrimmedAt450"
- 7. Run kemcheck and make elog entry.

8. LEM both North and South to 500 MV.

- **a.** run ~reece/logging/allcheck
- **b.** fix any problems (anomolous GASKs, arcers, etc.).
- **9.** Identify weak power/control systems:
 - **a.** Run "~reece/mchnsetup/kmas/ma_economizer" to throttle power avaliable from the klystrons, noting any cavities which SOS or show GLDER errors.** these are shy of adequate control range **.
 - **b.** Execute "~brown/bin/kaseeit KMASI" to view mod anode settings.
 - c. Note the cavities with the lowest KMASI values, ** these are the candidates for being power starved when we eventually run with up to 840 μA Itot.
- **10.** Execute "~reece/mchnsetup/kmas/ma_un_economizer" to lower all mod anode settings for cavities which are presently in the RF ON state.
- 11. Execute "~brown/bin/kaseeit KMASI" to view mod anode settings All KMASI for ON cavities should be less than 0.6, else run "ma_un_economizer" again.
- **12.** Run kemcheck and make elog entry.
- 13. Save present rf setup [GSET.DRVH, GSET, GASKL, RATNI, KMASI, TDOFF...]
 - a. execute "kcmore -c GSET.DRVH -c GSET -c GASKL -c RATNI -c KMASI -c TDOFF -c CRFP >! OKAt500 ; lp -dmcc104b OKAt500; cp OKAt500 ~reece/mchnsetup/OKAt500"

14. LEM each linac to 437.3 MeV and the Injector to 49.2 MeV

- a. run ~reece/logging/allcheck
- **15.** Perform a full upload of the linac rf systems. (Mike Memory).

RF for 4.42 GeV Page 2 of 2